iSAPSign 32"
Tentative info

Front & Back View

WiFi Antenna

32" IPS Screen w/Protection Glass

Tilted Display for Easy Viewing

Ventilations

Speakers x2

High quality Silent-Wheels w/Lock

Accessible Power Switch

Easy service Battery Compartment

Speakers x2 on 2 sides

Dimensions & Specifications

Items	Our Offerings
Enclosure	W456mm x H1018mm x D418mm Quality Quiet Wheels with position stopper and protection to all floor surface
Monitor	32" IPS panel with 1080 (W) x 1920 (H) pixels, mounted in portrait orientation
Protection Glass	Protection Glass for easy cleaning and screen protection
Embedded PC	• High Performance Intel **Core i5** (12th Gen) • 8G DDR4-3200 RAM • 512GB M.2 PCIe G4 SSD (1 spare slot) • Intel RJ-45 10/100/1000 Wired LAN • Intel **WiFi 6** AX201 AX+BlueTooth • 1 x HDMI 2.1 TMDS, 1 x DisplayPort 1.4 • Line-out for headphone/microphone combo jack • **Free upgrade to Windows 11** Discrete Trusted Platform Module 2.0 • EC Self-healing (Level 2) • Wake on LAN, BIOS schedule wake up and shutdown
Android	• Android Player built-in if not a Full-fledge PC
Power Button	Single power switch for power up the kiosk, PC and Display.